






# Aluminium Polishing compounds


SOLID COMPOUNDS	SUPER HEAVY CUT	HEAVY CUT	MEDIUM CUT	FINISH	SUPER FINISH	EMULSIONS	HEAVY CUT	MEDIUM CUT	MEDIUM CUT	FINISH	SUPER FINISH
	<b>523LBZ</b> Art.-No. 01015 is a highly abrasive and fast-acting brush paste. An especially durable abrasive grit of particularly high quality produces a consistent, matt surface.	<b>439T</b> Art.-No. 07001 is a universal, fast-acting prepolishing compound suitable for a broad range of applications. Quickly removes throwing marks, orange peel and sanding marks.	<b>P14F</b> Art.-No. 07163 is a fast-acting polishing compound with a good cut and broad field of application. Produces cut and high gloss in one step.	<b>480BLF</b> Art.-No. 07009 is a finishing compound developed especially for aluminium surfaces, producing a high gloss and fine mirror finish.	<b>P175</b> Art.-No. 07984 is a superfine, high-gloss compound that is versatile in application. It produces a surface free of lines with a premium deep mirror gloss.		<b>EM 246GD</b> Art.-No. 20879 is a reliable pre-polishing compound with high cutting performance and easy degreasing.	<b>EM 235</b> Art.-No. 20949 was developed especially for singlestage, robot-assisted aluminium polishing. Features outstanding heat dissipation. Very quickly creates a surface suitable for anodising, with minimum dust and dirt formation.	<b>EM 291</b> Art.-No. 20806 Specially developed for aluminum surfaces. Perfect for use on larger areas. Guarantees a flawless finish and outstanding shine thanks to state-of-the-art polishing technology.	<b>PE F3151</b> Art.-No. 20015 is a proven, high-quality emulsion for fine buffing. Clean-up time is minimised thanks to an optimum proportion of solids and an optimised bond.	<b>PE 25D</b> Art.-No. 20472 produces a mirror finish that is absolutely free of lines and meets the highest quality standards.
<b>Polishing wheel:</b>	Fibre, sisal, cotton	Sisal, cotton	Cotton	Cotton	Soft buffing wheel	Sisal, cotton	Cotton	Cotton	Cotton	Cotton	Soft buffing wheel
<b>Colour:</b>	Grey	Green	White	Blue	Yellow	Pink	White	White	White	Beige	White
<b>Grease content:</b>	Greasy	Greasy	Greasy	Medium	Dry						
<b>Suitable for:</b>	Aluminium, brass/non-ferrous metals, stainless steel	Aluminium, brass/non-ferrous metals, stainless steel	Aluminium, brass/non-ferrous metals, stainless steel	Aluminium, brass/non-ferrous metals	Aluminium, brass/non-ferrous metals, stainless steel, coatings, plastic	Aluminium, stainless steel	Aluminium, coatings, plastic/composites	Aluminium	Aluminium	Aluminium	Aluminium, brass/non-ferrous metals, stainless steel
<b>Result:</b>	Brushed, deburred and satin-finished surface.	Fast and thorough removal of defects/sanding marks.	Consistent surface with no deep scratches.	Mirror finish surface.	Brilliant surface with a deep gloss.	Fast and thorough removal of defects/sanding marks.	Fast, thorough removal of defects, simultaneously producing a consistent surface with no deep scratches.	Removes flaws quickly and thoroughly while delivering outstanding shine.	Mirror finish surface.	Brilliant surface with a deep gloss.	Brilliant surface with a deep gloss.



\*The process recommendations provided here were prepared based on our best knowledge. They cover most common practical applications. Additional products are available for other applications.


**Brass**  
Polishing compounds


SOLID COMPOUNDS	SUPER HEAVY CUT	HEAVY CUT	MEDIUM CUT	FINISH	SUPER FINISH	EMULSIONS	HEAVY CUT	FINISH	SUPER FINISH
	<b>523LBZ</b> Art.-No. 01015 is a highly abrasive and fast-acting brush paste. An especially durable abrasive grit of particularly high quality produces a consistent, matt surface.	<b>113GZ</b> Art.-No. 06008 is an abrasive tripoli polishing compound. Very economical to use, it produces a well-finished surface that is ready for galvanising.	<b>P14F</b> Art.-No. 07163 is a fast-acting polishing compound with a good cut and broad field of application. Produces cut and high gloss in one step.	<b>480W</b> Art.-No. 07008 is a fast-acting finishing paste with especially adapted bonding, producing a beautiful gloss on brass surfaces.	<b>P175</b> Art.-No. 07984 is a super fine, high-gloss compound that is versatile in application. It produces a surface free of lines with a premium deep mirror gloss.		<b>P421</b> Art.-No. 20865 is an economical, tripoli-based pre-polishing paste that produces a well-finished surface ready for galvanising. Suitable for use with rotary tables and robot systems. Extensively proven in the fittings industry.	<b>PE F 88</b> Art.-No. 20927 is a high-quality finishing paste that produces a perfect gloss. Minimal clean-up effort and ease of application thanks to an optimised bond.	<b>PE 25D</b> Art.-No. 20472 produces a mirror finish that is absolutely free of lines and meets the highest quality standards.
<b>Polishing wheel:</b>	Fibre, sisal, cotton	Sisal, cotton	Cotton	Cotton	Soft buffing wheel	Sisal, cotton	Cotton	Cotton	Soft buffing wheel
<b>Colour:</b>	Grey	Brown	Beige	Beige	Yellow	Russet	Beige	Beige	White
<b>Grease content:</b>	Greasy	Greasy	Greasy	Medium	Dry				
<b>Suitable for:</b>	Aluminium, brass/non-ferrous metals, stainless steel	Aluminium, brass/non-ferrous metals, coatings	Aluminium, brass/non-ferrous metals, stainless steel	Aluminium, brass/non-ferrous metals, plastic	brass/non-ferrous metals, stainless steel, coatings, plastic	Brass/non-ferrous metals	Brass, stainless steel	Aluminium, brass/non-ferrous metals, stainless steel	Aluminium, brass/non-ferrous metals, stainless steel
<b>Result:</b>	Brushed, deburred and satin-finished surface.	Fast and thorough removal of defects.	Consistent surface with no deep scratches.	Mirror finish surface.	Brilliant, deep gloss surface.	Fast and thorough removal of sanding marks.	Mirror finish surface.	Brilliant, deep gloss surface.	Brilliant, deep gloss surface.





\*The process recommendations provided here were prepared based on our best knowledge. They cover most common practical applications. Additional products are available for other applications.

**Stainless steel**  
Polishing compounds

SOLID COMPOUNDS	SUPER HEAVY CUT	HEAVY CUT	MEDIUM CUT	FINISH	SUPER FINISH
	<b>523LBZ</b> Art.-No. 01015 is a highly abrasive and fast-acting brush paste. An especially durable abrasive grit of particularly high quality produces a consistent, matt surface.	<b>439T</b> Art.-No. 07001 is a universal, fast-acting prepolishing compound suitable for a broad range of applications. Quickly removes throwing marks, orange peel and sanding marks.	<b>333</b> Art.-No. 07013 is an abrasive chromium oxide compound. It produces an even surface with a high gloss very quickly. Extremely well suited for chrome finishing.	<b>P126</b> Art.-No. 07201 is a finish paste developed especially for stainless steel. It produces the most beautiful gloss in the shortest possible time.	<b>P175</b> Art.-No. 07984 is a super fine, high-gloss compound that is versatile in application. It produces a surface free of lines with a premium deep mirror gloss.
<b>Polishing wheel:</b>	Fibre, sisal, cotton	Sisal, cotton	Sisal, cotton	Cotton	Soft buffing wheel
<b>Colour:</b>	Grey	Green	Green	Pink	Yellow
<b>Grease content:</b>	Greasy	Greasy	Medium	Dry	Dry
<b>Suitable for:</b>	Stainless steel	Aluminium, brass/non-ferrous metals, stainless steel	Stainless steel/precious metals	Stainless steel/precious metals	Aluminium, brass/non-ferrous metals, stainless steel, coatings, plastic
<b>Result:</b>	Brushed, deburred and satin-finished surface.	Fast and thorough removal of defects/sanding marks.	Consistent surface with no deep scratches.	Mirror finish surface.	Brilliant surface with a deep gloss.

EMULSIONS	SUPER HEAVY CUT	HEAVY CUT	MEDIUM CUT	FINISH	SUPER FINISH
	<b>AVM 45</b> Art.-Nr. 20848 is ideal for brushing and matting stainless steel. A durable abrasive grit makes it possible to work quickly and produces a beautiful satin-finished surface.	<b>EM 246GD</b> Art.-No. 20879 is a very fast-acting pre-polishing compound. Its good degreasing capability makes the emulsion uncomplicated to apply.	<b>PE F 86</b> Art.-No. 20929 is an emulsion developed especially for stainless steel. It has sufficient abrasiveness to eliminate smaller defects. Produces the most beautiful gloss.	<b>PE F 88</b> Art.-No. 20927 is a high-quality finishing emulsion that produces a perfect gloss. Minimal clean-up effort and easy application thanks to an optimised bond.	<b>PE 25D</b> Art.-No. 20472 produces a mirror finish that is absolutely free of lines and meets the highest quality standards.
<b>Polishing wheel:</b>	Fibre, sisal	Sisal, cotton	Sisal, cotton	Cotton	Soft buffing wheel
<b>Colour:</b>	Grey	Pink	Beige	Beige	White
<b>Suitable for:</b>	Aluminium, stainless steel	Stainless steel	Brass/non-ferrous metals, stainless steel	Brass/non-ferrous metals, stainless steel	Aluminium, brass/non-ferrous metals, stainless steel
<b>Result:</b>	Brushed, deburred and satin-finished surface.	Fast and thorough removal of defects/sanding marks.	Fast and thorough removal of defects and simultaneously a consistent surface with no deep scratches.	Mirror finish surface.	Brilliant surface with a deep gloss.



\*The process recommendations provided here were prepared based on our best knowledge. They cover most common practical applications. Additional products are available for other applications.